KORROSCOP® Checking WEB and REST Server

Configuration of the WLAN connection

1.

Make sure that your KORROSTOP4.0[®] is connected to the WiFi.

(1) Check on the About screen "WLAN connection OK" and tick GREEN (WEB and REST).



WEB (1)	KS4-38AEA4CBE28C E.KO manual ICONISER 1501 REST (1)
MLAN Connect V Connect Via Accesspoint X LAN X Vie X	QR OK QR QR
WEB Pages REST Serv	vice V SWIP Client V
Start:2021/11/09 10:20:38 Omline:0 00:02:08	Now:2021/11/09 10:22:46 Error:

If you don't have GREEN ticks on "WEB Pages" and REST Services, please do the following:

2.

Login - Please log in (2). Either with user: "korro" and password: "stop" or your personal access data.

-	Kornos¢op		LOGIN	(2)	!) Login		
	User			CONFIGURATION	CP ESH-MARA	KHE36C 🕨	
	korro			Larguage	tyster.	Sestart (
	Password			Bate Time	Dier Interface	Lagin	
	rassiora			Alars	Between .	Logist	
		A.L. B. B. B. B.		PLC .	Updat.	Internals	
	0			Ber Assagement	Delivery Befault	Info Calibrate	







Exit the configuration using the arrow at the top left (4) and save the changes.

The KORROSTOP4.0® must now be restarted.

4.

Go back to the "About Screen". A green tick must now be displayed for "WEB Pages" and "REST Services" (5).



Download KORROSTOP4.0[®] documents

The entire manual for the KORROSTOP4.0® and further information For the points listed here, see the following links:

https://github.com/easymetal

Korrostop4.0[®] Manual: https://github.com/easymetal/Korrostop4.0-EN/wiki

About the system screen: https://github.com/easymetal/Korrostop4.0-EN/wiki/Manual-Configuration-system

Information and update files: https://github.com/easymetal/Korrostop4.0-EN



5.

Klicken Sie nun in das graue Feld mit "Verb. Via QR" (10). Am Bildschirm erscheint ein QR -Code (11) und eine IP-Adresse (12).



Sie können nun entweder mit einem QR-Code Scanner oder der Eingabe der IP-Adresse in Ihrem Browser die Verbindung zu Ihrem Mobilgerät herstellen.

Ihre WLAN Verbindung ist nun eingerichtet und die Abfrage kann auf Ihrem Handy oder Tablet erfolgen.